

412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com



Bench Modular Seating

Ultra contemporary in design, Bench creates the ultimate structure to show off any exterior or interior features, whilst also providing a comfortable seat.

Throalass moulding

Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com



Bench Modular Seating

SGF107 SEAT (A-I) SGF107 TABLE (J)

Simple lines & colour add beauty and value to exteriors or interior gyms, sports venues, schools & colleges, meeting areas, waiting rooms, shelters, showrooms, exhibitions, foyers and lobbies.

Ultra contemporary in design, Bench creates the ultimate structure to show off any exterior or interior features, whilst also providing a comfortable seat.

Our modular designs are made from 100 per cent fibreglass and create striking landscape features. Each seat can be made in any BS/RAL colour to match any colour scheme or corporate interior. Bench is easy to install as it's lightweight and modular in construction.

" " on convice available

Bench

CONTRACT

PIS

368

80

50

INNOVATIVE EUROPEAN PRODUCTS FOR UNIQUE ENVIRONMENTS

412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - A Options - all sizes in mm's

A1 - 1 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

1000 long x 500 x 456mm high

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 16 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 15 kgs

A2 - 2 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2000 long x 500 x 456mm high

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 30 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 28 kgs

A3 - 3 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

3000 long x 500 x 456mm high

Each segment can be supplied:

- 1. Not available.
- 2. Un-weighted with rubber anti-slide base. Circa 46 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 43 kgs


Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - B Options - all sizes in mm's

PROFILE B1 500 500 2 R15626 368 1000 1500 80 *45*° ဖ 370 50 400 50



B1 - 1.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

1500 long x 500 x 456mm high, with 45° end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 18 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 16 kgs

B2 - 2.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2500 long x 500 x 456mm high, with 45° end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 30 kgs
- Fitted with anchor bolts for permanent fixing. Circa 28 kgs


Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - C Options - all sizes in mm's

C1 **PROFILE** 500 500 R15626 368 1500 80 45° 370 50 400 50



C1 - 1.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

1500 long x 500 x 456mm high, with 45 $^{\circ}$ end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 18 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 16 kgs

C2 - 2.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2500 long x 500 x 456mm high, with 45° end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 30 kgs
- Fitted with anchor bolts for permanent fixing. Circa 28 kgs


Bench





412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com


Bench modular seating - D Options - all sizes in mm's

PROFILE









D1 - 2 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2000 long x 500 x 456mm high, with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 22 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 20 kgs

D2 - 3 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

 $3000 \log x 500 \times 456 mm high,$ with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 32 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 30 kgs


Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - E Options - all sizes in mm's

PROFILE E1 500 500 2 45° R15626 368 450 80 370 50 400 50



E1 - 2 metre seat segment

Principal Material:

GRP Fibreglass

Dimensions:

2000 long x 500 x 456mm high, with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 22 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 20 kgs

E2 - 3 metre seat segment

Principal Material:

GRP Fibreglass

Dimensions:

3000 long x 500 x 456mm high, with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 32 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 30 kgs

Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - F Options - all sizes in mm's

F1 **PROFILE** F2 500 500 500 2 45° R15626 368 450 80 370 3000 2000 50 400 50 450 450

F1 - 2 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2000 long x 500 x 456mm high, with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 22 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 20 kgs

F2 - 3 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

 $3000 \log x 500 \times 456 mm high,$ with 45° ends

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 32 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 30 kgs


Bench





G3

412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - G Options - all sizes in mm's







G1 - 1 metre seat segment

Principal Material: GRP Fibreglass

1000 long x 500 x 456mm high, with 250 radius end

Each segment can be supplied:

- 1. Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 16 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 15 kgs

G2 - 2 metre seat segment

Principal Material: GRP Fibreglass

2000 long x 500 x 456mm high, with 250 radius end

Each segment can be supplied:

- 1. Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 32 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 28 kgs

G3 - 3 metre seat segment

Principal Material: GRP Fibreglass

3000 long x 500 x 456mm high, with 250 radius end

Each segment can be supplied:

- 1. Not available.
- 2. Un-weighted with rubber anti-slide base. Circa 46 kgs
- 3. Fitted with anchor bolts for


Bench




412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com


Bench modular seating - H Options - all sizes in mm's

PROFILE 500 R15626 95 R15626 95 400 50





Bench



H1 - 1.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

1500 long x 500 x 456mm high, with 45° & 250 radius end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 18 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 16 kgs

H2 - 2.5 metre seat segment

Principal Material: GRP Fibreglass

Dimensions:

2500 long x 500 x 456mm high, with 45° & 250 radius end

Each segment can be supplied:


- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 30 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 28 kgs





412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - I Options - all sizes in mm's


PROFILE







Bench



I 1 - 1.5 metre seat segment

Principal Material:

GRP Fibreglass

Dimensions:

1500 long x 500 x 456mm high, with 45° & 250 radius end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 18 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 16 kgs

12 - 2.5 metre seat segment

Principal Material:

GRP Fibreglass

Dimensions:

2500 long x 500 x 456mm high, with 45° & 250 radius end

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- 2. Un-weighted with rubber anti-slide base. Circa 30 kgs
- Fitted with anchor bolts for permanent fixing. Circa 28 kgs



FRONT

PLAN

412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com

Bench modular seating - J Option - all sizes in mm's

Ø900 Ø800

Ø675 Ø675

J - 900 mm diameter coffee table

Principal Material: GRP Fibreglass

GIVE Fibregias

Dimensions:

900 diameter x 300mm high

Each segment can be supplied:

- Weighted with a rubber anti-slide base. Circa 45 kgs
- Un-weighted with rubber anti-slide base. Circa 22 kgs
- 3. Fitted with anchor bolts for permanent fixing. Circa 18 kgs


Supply options:

- Weighted: Modules supplied weighted to prevent people from easily moving installations to another area.
 Weighted modules are ideal if you would like the flexibility to move seating at a later date and the security that they will be safe.
- 2. Un-weighted: This supply option offers the utmost in flexibility and is ideal for domestic use or in areas where you want to move seats quickly and easily, such as events/exhibition spaces.
- Fitted with anchor bolts: Modules are complete with anchor bolts for permanent fixing - ideal for public open spaces or where security may be an issue.

Bench



412 Kelburn Rd. Suite 312 Deerfield, IL. 60015 USA 847 940 7072 tainerd@gmail.com www.md3contract.com



Just some of the many Bench modular arrangements.

Bench